1 (a) Find the lowest common multiple (LCM) of 30 and 75.

.....[2]

(b) Share \$608 in the ratio 4:5:7.

\$

\$

\$[3]

(c) Work out $\frac{6.39 \times 10^4}{2.45 \times 10^6}$.

Give your answer in standard form.

.....[2]

(d) Write $0.\dot{2}\dot{7}$ as a fraction.


.....[1]

(e) A stone has volume 45 cm³ and mass 126 g. Find the density of the stone, giving the units of your answer.

 $[Density = mass \div volume]$

.....[2]

2 (a)



NOT TO SCALE


The points P, Q, R and S lie on a circle with diameter PR.

Work out the size of angle <i>PSQ</i> , givin	g a geometrical reason for	each step of your	working
---	----------------------------	-------------------	---------

•••••		 	
	•••••	 	•••••

[3]

(b)



The points A, B and T lie on a circle and CTS is a tangent to the circle at T. ABC is a straight line and AB = BT. Angle $ATS = 98^{\circ}$.

Work out the size of angle ACT.



Angle
$$ACT = \dots$$
 [4]

- 3 A line, l, joins point F(3, 2) and point G(-5, 4).
 - (a) Calculate the length of line *l*.

.....[3]

(b) Find the equation of the perpendicular bisector of line l in the form y = mx + c.


 $y = \dots$ [5]

(c) A point H lies on the y-axis such that the distance GH = 13 units.

Find the coordinates of the two possible positions of \mathcal{H} .

(....., and (.....) [4]

4



NOT TO SCALE

ABCD is a trapezium with DC parallel to AB. $DC = 6.4 \,\text{cm}$, $DB = 10.9 \,\text{cm}$, angle $CDB = 38^{\circ}$ and angle $DAB = 45^{\circ}$.

(a) Find CB.

$$CB =$$
 cm [3]

(b) (i) Find angle *ADB*.

Angle
$$ADB = \dots$$
 [1]

(ii) Find AB.


$$AB = \dots$$
 cm [3]

(c) Calculate the area of the trapezium.



5 (a) Draw the lines of symmetry of the rectangle.

[2]





(i)	Des	cribe fully the single transformation that maps	
	(a)	triangle A onto triangle B ,	
			[2]
	(b)	triangle A onto triangle C .	
			[3]
(ii)	(a)	Draw the image of triangle A after reflection in $y = 2$.	[2]
	(b)	Draw the image of triangle A after enlargement by scale factor -2 , centre $(-1, 1)$.	[2]



6 (a) At a festival, 380 people out of 500 people questioned say that they are camping. There are 55 300 people at the festival.

Calculate an estimate of the total number of people camping at the festival.

.....[2]

(b) 12 friends travel to the festival.5 travel by car, 4 travel by bus and 3 travel by train.Two people are chosen at random from the 12 friends.

Calculate the probability that they travel by different types of transport.

[4]

(c) Arno buys a student ticket for \$43.68. This is a saving of 16% on the full price of a ticket.

Calculate the full price of a ticket.

\$[2]



- (d) At a football match, there are 29 800 people, correct to the nearest 100.
 - (i) At the end of the football match, the people leave at a rate of 400 people per minute, correct to the nearest 50 people.

Calculate the lower bound for the number of minutes it takes for all the people to leave.

..... min [3]

(ii) At a cricket match there are 27 500 people, correct to the nearest 100.

Calculate the upper bound for the difference between the number of people at the football match and at the cricket match.

.....[2]




7 Information about the mass, $m \log n$, of each of 150 children is recorded in the frequency table.

Mass (m kg)	$0 < m \leqslant 10$	$10 < m \le 20$	$20 < m \leqslant 25$	$25 < m \leqslant 40$	$40 < m \leqslant 50$
Frequency	12	38	32	50	18

(a) Calculate an estimate of the mean mass.

..... kg [4]

(b) Draw a histogram to show the information in the table.



[4]



(c) (i) Use the frequency table to complete this cumulative frequency table.

Mass (m kg)	<i>m</i> ≤ 10	<i>m</i> ≤ 20	<i>m</i> ≤ 25	<i>m</i> ≤ 40	<i>m</i> ≤ 50
Cumulative frequency					

[2]

(ii) Calculate the percentage of children with a mass greater than 10 kg.

0/0	[2]
 . /0	4



8 (a) Solve.

$$10 - 3p = 3 + 11p$$

$$p = \dots$$
 [2]

(b) Make
$$m$$
 the subject of the formula.

$$mc^2 - 2k = mg$$

$$m = \dots [3]$$


$$\frac{1}{x-3} + \frac{4}{2x+3} = 1$$

$$x =$$
 or $x =$ [5]

(d) Solve the simultaneous equations. You must show all your working.

$$x + 2y = 12$$

$$5x + y^2 = 39$$




$$x = \dots y = \dots [5]$$

(e) Expand and simplify.

$$(2x-3)(x+6)(x-4)$$



9 (a)




In triangle *PQR*, *M* lies on *QR* and *S* lies on *PR*.

Explain, giving reasons, why triangle *PMR* is similar to triangle *MSR*.

 	 	• • • • • • • • • • • • • • • • • • • •

(b)



Triangle ABC is similar to triangle PQR.

(i) Find the value of x.

x =	 2

(ii) The area of triangle PQR is 25 cm^2 . Calculate the area of triangle ABC.




10 (a) Find all the positive integers which satisfy the inequality.

$$3n-8 > 5n-15$$

.....[2]

(b)



The region marked R is defined by three inequalities.


(i) Find these three inequalities.

Write down the largest value of 3x + y in the region R for integers x and y.



.....[2]

11 (a)



A rectangular sheet of paper ABCD is made into an open cylinder with the edge AB meeting the edge DC.

 $\overrightarrow{AD} = 28 \text{ cm} \text{ and } AB = 20 \text{ cm}.$

(i) Show that the radius of the cylinder is 4.46 cm, correct to 3 significant figures.

[2]

(ii) Calculate the volume of the cylinder.

..... cm³ [2]

(iii) N is a point on the base of the cylinder, such that BN is a diameter.

Calculate the angle between AN and the base of the cylinder.



(b) The volume of a solid cone is 310 cm³.

The height of the cone is twice the radius of its base.

Calculate the slant height of the cone.

[The volume, V, of a cone with radius r and height h is $V = \frac{1}{3}\pi r^2 h$.]

..... cm [5]



- 12 A curve has equation $y = x^3 kx^2 + 1$. When x = 2, the gradient of the curve is 6.
 - (a) Show that k = 1.5.


[5]

(b) Find the coordinates of the two stationary points of $y = x^3 - 1.5x^2 + 1$. You must show all your working.

 $(\ldots \ldots, \ldots \ldots) \ \ \text{and} \ \ (\ldots \ldots, \ldots \ldots) \ \ [4]$



(c) Sketch the curve $y = x^3 - 1.5x^2 + 1$.



[2]

