

CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

MARK SCHEME for the May/June 2014 series

0607 CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/32

Paper 3 (Core), maximum raw mark 96

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.



Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 4	Mark Scheme	Syllabus 0607	Paper 32
	IGCSE – May/June 2014	0607	32

1	(a)	200	1	B1 for 1 and 18 B1 for all the other factors	
	(b)	49	1		
	(c)	1%	1		
	(d)	1, 2, 3, 6, 9, 18	2		
	(e)	24	1		
	(f)	$\frac{2}{3}$	1		
	(g)	16.8	2		M1 for 35×48
	(h)	11 or 13 or 17 or 19	1		
2	(a)	Square	1		
		Parallelogram	1		
		Isosceles Triangle	1		
	(b)	4 correct lines drawn	1		
		no lines	1		
		1 correct line	1		
(c)	4	1			
	2	1			
	1	1			
3	(a)	39	1		
		83	1		
		58	1		
		83	1		
	(b)	66	1		
		114	1		
	66	1FT	FT from <i>their</i> 66.		
4	(a)	6.9	2	M1 for 4.5 or 2.4 seen. soi by 2.1	
	(b)	18	1		
	(c)	[x =] 4 [y =] -6	1 1	If 0 scored M1 for correct elimination of one variable	

Page 7	Mark Scheme	Syllabus 0607	Paper 32
	IGCSE – May/June 2014	0607	32

5	(a)	Vertices at (4, -1), (2, -5), (6, -5) and (4, -7)	1	
	(b)	Vertices at (-1, 4), (-5, 2), (-5, 6) and (-7, 4)	2	B1 for 90° clockwise rotation about the origin or 90° anticlockwise rotation about another point
	(c)	Vertices at (-2, -6), (-4, -2), (0, -2) and (-2, 0)	2	B1 for correct translation of $\begin{pmatrix} -6 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -7 \end{pmatrix}$
6	(a)	4 : 7 : 5 : 3	2	B1 for 2 correct terms
	(b)	161	3	M2 for $20 \times 1.60 + 35 \times 1.75 + 25 \times 1.60 + 15 \times 1.85$ soi or M1 for 2 correct products seen.
	(c)	10.7 or [10.73...]	1FT	FT from answer to (b)
7	(a)	99	1	
	(b)	8	2	M1 for $\frac{12}{90}$ or $\frac{90}{60}$ oe seen
8	(a)	40 47	1 1FT	(<i>their</i> 40) + 7
	(b)	$7n + 5$	2	M1 for $7n + k$
9	(a)	$\frac{6}{11}$	1	
	(b)	$\frac{6}{11} \frac{5}{11}$	1	1 mark for each pair
		$\frac{5}{10} \frac{5}{10}$	1	
		$\frac{6}{10} \frac{4}{10}$	1	
(c)	$\frac{30}{110}$ oe isw	2FT	M1 for multiplying <i>their</i> $\frac{6}{11}$ by <i>their</i> $\frac{5}{10}$	

<p>10 (a)</p>		<p>2</p>	<p>B1 for a parabola with vertex downwards</p>
<p>(b)</p>	<p>-1.11 or -1.108... , 3.61 or 3.608...</p>	<p>1 1</p>	
<p>(c)</p>	<p>(1.25, -11.125)</p>	<p>1, 1</p>	
<p>(d)</p>		<p>2</p>	<p>B1 for a line with negative gradient cutting the curve twice B1 for line within tolerance</p>
<p>(e)</p>	<p>-1 2.5</p>	<p>1 1</p>	
<p>11</p>	<p>M2 for $\sqrt{15^2 - 9^2}$ M1 for $0.5 \times 18 \times \text{their } h$ M1 for 18^2 M1 for $\pi \times 2.1^2$ A1 for 418.1...</p>	<p>6</p>	<p>or M1 for $9^2 + h^2 = 15^2$</p>
<p>12 (a)</p>	<p>60200</p>	<p>3</p>	<p>M2 for $50\,000 \times 0.034 \times 6 + 50\,000$ or M1 for $50\,000 \times 0.034 \times 6$</p>
<p>(b)</p>	<p>art 58154 www 3</p>	<p>3</p>	<p>M2 for $48\,000(1 + 0.0325)^6$ or M1 for $48\,000(1 + 0.0325)^k$</p>

13	(a)		2	B1 for A correctly placed
	(b) (i)	$\frac{1}{7}$	1FT	FT from Venn diagram
	(ii)	$\frac{2}{7}$	1	
14	(a)	5	1	
	(b)	22.3 or 22.33...	2	M1 for multiplying 1 correct mid-value by frequency
	(c)	14, 21, 27	1	
	(d)		3FT	B2FT for plotting 4 points correctly or B1FT for plotting 2 or 3 points correctly B1 for smooth increasing curve
	(e) (i)	21.5 ± 1	1FT	dependent on increasing curve
	(ii)	12 ± 1	1FT	dependent on increasing curve
	(iii)	32.5 ± 1	1FT	dependent. on increasing curve
15	(a)	Points correctly plotted	1, 1	
	(b)	$\frac{6}{4}$ oe	2	M1 for $\frac{\text{rise}}{\text{run}}$
	(c)	$y = \frac{6}{4}x$ oe	1FT	FT their $\frac{6}{4}$ if positive