
Use	an energy method to find the speed of the particle after it has moved 15 m down the plane	e. [3
•••••		•••••
•••••		
•••••		
		•••••
•••••		•••••
•••••		•••••
•••••		•••••
•••••		
•••••		•••••
•••••		•••••
•••••		•••••
•••••		
•••••		
•••••		
		•••••
•••••		• • • • • • • • • • • • • • • • • • • •
•••••		
•••••		
•••••		• • • • • • • • • • • • • • • • • • • •
•••••		
•••••		
•••••		-

2



Coplanar forces of magnitudes  $34\,N$ ,  $30\,N$  and  $26\,N$  act at a point in the directions shown in the diagram.

Given that $\sin \alpha = \frac{5}{13}$ and $\sin \theta = \frac{8}{17}$ , find the magnitude and direction of the resultant of the three forces. [6]

Find the time	taken for the ring t	to move, from re	est, 0.6 m along	g the rod.	[0
•••••••••			••••••	•••••	
•••••			•••••	•••••	
•••••			••••••	•••••	
•••••			••••••	•••••	•••••
•••••			•••••		
			••••		
•••••					
•••••			••••••	•••••	•••••

the plane is 0.3.	
Find the greatest possible value of $P$ .	[6
	1 = 10354

(a)	The	car and caravan move along a horizontal part of the road at a constant speed of 30 m s	-1
()		Calculate, in kW, the power developed by the engine of the car.	[2
			•••••
			•••••
			•••••
	(ii)	Given that this power is suddenly decreased by 8 kW, find the instantaneous deceleration the car and caravan and the tension in the tow-bar.	
	(ii)	Given that this power is suddenly decreased by 8 kW, find the instantaneous decelerati the car and caravan and the tension in the tow-bar.	
	(ii)		
	(ii)		ion o [4
	(ii)		

(i)		
	Find this constant speed.	[3
(ii)	Find the increase in the potential energy of the caravan in one minute.	[2

coalesce to form particle $C$ .	
Find the difference between the two possible times at which $C$ hits the ground.	[8]
	•••••
	•••••
	•••••
	•••••
	III 254

<i>∫</i> •••\

7	A particle <i>P</i> moving in a straight line starts from rest at a point <i>O</i> and comes to rest 16 s later.	At time
	t s after leaving O, the acceleration $a \mathrm{ms^{-2}}$ of P is given by	

$$a = 6 + 4t$$
  $0 \le t < 2$ ,  
 $a = 14$   $2 \le t < 4$ ,  
 $a = 16 - 2t$   $4 \le t \le 16$ .

There is no sudden change in velocity at any instant.

Find the values of $t$ when the velocity of $P$ is 55 m s <sup>-1</sup> .	
	•••••
	6

[2]

(b) Complete the sketch of the velocity-time diagram.



16

(c)	Find the distance travelled by $P$ when it is decelerating.	[3]
		••••
		••••
		••••
		••••
		••••
		••••
		••••
		••••
		••••
		••••
		••••
		••••
		••••
		••••
		••••