

Pearson Edexcel A Level Mathematics 9MA0

Unit Test 4 Sequences Series

Time allowed: 50 minutes

School: www.CasperYC.club


Name:

Teacher:


How I can achieve better:

-
-
-

Question	Points	Score
1	4	
2	8	
3	5	
4	4	
5	6	
6	9	
7	9	
8	5	
Total:	50	



1. The first 3 terms of a geometric sequence are $k + 2, 4k, 2k^2$, $k > 0$. Find the value of k . [4]



2. For an arithmetic sequence $a_4 = 98$ and $a_{11} = 56$.


(a) Find the value of the 20th term.

[4]

(b) Given that the sum of the first n terms is 78, find the value of n .

[4]

Total: 8




3. (a) Prove that the sum of the first n terms of an arithmetic series is

$$S = \frac{n}{2} (2a + (n-1)d)$$


(b) Hence, or otherwise, find the sum of the first 200 odd numbers.

[3]

Total: 5



4. Jacob is making some patterns out of squares. The first 3 patterns in the sequence are shown.




(a) Find an expression, in terms of n , for the number of squares required to make pattern n . [2]

(b) Jacob uses a total of 948 squares in constructing the first k patterns. [2]

Show that $3k^2 + 7k - 1896 = 0$.

Total: 4



5. A sequence is given by $x_1 = 4$, $x_{n+1} = px_n - 9$, where p is an integer.

(a) Show that $x_3 = 4p^2 - 9p - 9$.

[2]


(b) Given that $x_3 = 46$, find the value of p .

[3]

(c) Hence find the value of x_5 .

[1]

Total: 6



6. A ball is dropped from a height of 80cm.

After each bounce it rebounds to 70% of its previous maximum height.


(a) Write a recurrence relation to model the maximum height in centimetres of the ball after each subsequent bounce. [2]

(b) Find the height to which the ball will rebound after the fifth bounce. [2]

(c) Find the total vertical distance travelled by the ball before it stops bouncing. [4]

(d) State one limitation with the model. [1]

Total: 9



7. At the beginning of each month Kath places £100 into a bank account to save for a family holiday. Each subsequent month she increases her payments by 5%.

Assuming the bank account does not pay interest, find

(a) the amount of money in the account after 9 months. [3]

Month n is the first month in which there is more than £6000 in the account.


(b) Show that [4]

$$n > \frac{\log(4)}{\log(1.05)}.$$

Maggie begins saving at the same time as Kath. She initially places £50 into the same account and plans to increase her payments by a constant amount each month.

(c) Given that she would like to reach a total of £6000 in 29 months, by how much should Maggie increase her payments each month? [2]

Total: 9



8. An infinite geometric series has first four terms

$$1 - 4x + 16x^2 - 64x^3 + \dots$$

The series is convergent.

(a) Find the set of possible values of x for which the series converges.

(b) Given that

$$\sum_{r=1}^{\infty} (-4x)^{r-1} = 4,$$

calculate the value of x .

Total: 5

