

Edexcel (U.K.) Pre 2017

Questions By Topic

C1 Chap03 Simul Eqns

Compiled By: Dr Yu

Editors: Betül, Signal, Vivian

www.CasperYC.club

Last updated: February 10, 2026




DrYuFromShanghai@QQ.com

Leave
blank

6. The curve C has equation $y = \frac{3}{x}$ and the line l has equation $y = 2x + 5$.

(a) On the axes below, sketch the graphs of C and l , indicating clearly the coordinates of any intersections with the axes. (3)

(b) Find the coordinates of the points of intersection of C and l . (6)



Leave
blank

6.




Figure 1

Figure 1 shows a sketch of the curve with equation $y = \frac{2}{x}$, $x \neq 0$

The curve C has equation $y = \frac{2}{x} - 5$, $x \neq 0$, and the line l has equation $y = 4x + 2$

(a) Sketch and clearly label the graphs of C and l on a single diagram.

On your diagram, show clearly the coordinates of the points where C and l cross the coordinate axes.

(5)

(b) Write down the equations of the asymptotes of the curve C .

(2)

(c) Find the coordinates of the points of intersection of $y = \frac{2}{x} - 5$ and $y = 4x + 2$

(5)

Leave
blank

10. (a) On the axes below sketch the graphs of

(i) $y = x(4-x)$

(ii) $y = x^2(7-x)$

showing clearly the coordinates of the points where the curves cross the coordinate axes.

(5)

(b) Show that the x -coordinates of the points of intersection of

$$y = x(4-x) \quad \text{and} \quad y = x^2(7-x)$$

are given by the solutions to the equation $x(x^2 - 8x + 4) = 0$

(3)

The point A lies on both of the curves and the x and y coordinates of A are both positive.

(c) Find the exact coordinates of A , leaving your answer in the form $(p + q\sqrt{3}, r + s\sqrt{3})$, where p, q, r and s are integers.

(7)

