

Solomon Practice Paper

Pure Mathematics 1B

Time allowed: 90 minutes

Centre: www.CasperYC.club

Name:

Teacher:


Question	Points	Score
1	4	
2	5	
3	8	
4	9	
5	12	
6	12	
7	12	
8	13	
Total:	75	

How I can achieve better:

-
-
-



Last updated: *May 5, 2023*




1. Find the set of values of y for which

$$y^2 + 5y > 24.$$

[4]

2. Figure shows part of the curve $y = p \sin(qx)$, where x is measured in degrees.



The first maximum for $x > 0$ occurs at the point $A(30, 2)$.

- (a) Find the values of p and q .

[2]

- (b) State the period of the curve.

[1]

- (c) Find the coordinates of the point B , the first minimum on the curve for $x > 0$.

[2]

Total: 5

3. (a) Prove that

[3]

$$a^2 + b^2 \geq 2ab$$

for all real values of a and b .

- (b) Prove that

[3]

$$x^2 \geq 4y(x - y)$$

for all real values of x and y .

- (c) State the relationship between x and y for which

[2]

$$x^2 = 4y(x - y).$$

Total: 8

- 4.


$$f(x) \equiv x^2 - 4\sqrt{3}x + 9.$$

- (a) Solve the equation $f(x) = 0$, giving your answers exactly in terms of surds.


[5]

- (b) Find the coordinates of the turning point of the curve $y = f(x)$.

[4]



5. Figure shows the four lines l_1, l_2, l_3 and l_4 .



Line l_1 passes through the points $A(3, 8)$ and $B(7, 10)$.

Line l_2 passes through the points $C(4, 3)$ and $D(6, 4)$.

(a) Find an equation of the line l_1 in the form $ax + by + c = 0$. [3]

(b) Prove that the line l_2 is parallel to the line l_1 . [2]

(c) Calculate the lengths AB and CD giving your answers in surd form. [3]

Line l_3 passes through the points A and D .

Line l_4 passes through the points B and C .

Lines l_3 and l_4 intersect at the point E .

(d) By using your answer to part (c), or otherwise, show that the area of triangle ABE is four times the area of triangle CDE . [4]

Total: 12

6. The first term of an arithmetic series is $2x$ and the seventh term of the series is x .

(a) Find the common difference of the series in terms of x . [3]

Given that the tenth term of the series is 4,


(b) show that $x = 8$. [3]


Given also that the sum of the first n terms of the series is 100,

(c) find two possible values of n . [6]

Total: 12

7. Figure shows the height h , in metres, of a roller coaster trolley, t seconds after the start of a ride.





The height changes according to the equation $h = 25 - 24t + 9t^2 - t^3$.

- (a) Find the change in the trolley's height during the first second of its motion. [3]


The height of the trolley decreases until the point labelled A on the graph. It then increases until the point labelled B , before again decreasing.

- (b) Find the value of t at the point A . [5]

- (c) How much height does the trolley gain between the points A and B ? [4]

Total: 12

8. Figure shows part of the curve with equation $y = 3x^2 + px + q$ which passes through the points $A(1, 12)$ and $B(5, 12)$.



- (a) Find the values of p and q . [5]

- (b) State the coordinates of the point C where the curve intersects the y - axis. [1]

- (c) Find the area of the shaded region bounded by the curve and the lines AB and BC . [7]

Total: 13

